



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE ES2410031  
SITENAME Foz Escarrilla - Cucuraza

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)

## 1. SITE IDENTIFICATION

|                      |                                   |                             |
|----------------------|-----------------------------------|-----------------------------|
| <b>1.1 Type</b><br>B | <b>1.2 Site code</b><br>ES2410031 | <a href="#">Back to top</a> |
|----------------------|-----------------------------------|-----------------------------|

### 1.3 Site name

Foz Escarrilla - Cucuraza

|  |                                   |
|--|-----------------------------------|
| <b>1.4 First Compilation date</b><br>2000-04 | <b>1.5 Update date</b><br>2012-06 |
|--|-----------------------------------|

### 1.6 Respondent:

**Name/Organisation:** Dirección General de Conservación del Medio Natural Departamento de Agricultura, Ganadería y Medio Ambiente Gobierno de Aragón  
**Address:** Plaza San Pedro Nolasco, 7 50001 ZARAGOZA  
**Email:** bancodedatos@aragon.es

|   |         |
|---|---------|
| <b>Date site proposed as SCI:</b>                   | 2000-05 |
| <b>Date site confirmed as SCI:</b>                  | 2006-06 |
| <b>Date site designated as SAC:</b>                 | No data |
| <b>National legal reference of SAC designation:</b> | No data |

## 2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)





|   |      |                                       |  |   |   |    |   |  |   |    |   |   |   |   |
|---|------|---------------------------------------|--|---|---|----|---|--|---|----|---|---|---|---|
| B | A253 | <a href="#">urbica</a>                |  |   | r |    |   |  | P | DD | C | B | C | C |
| B | A253 | <a href="#">Delichon urbica</a>       |  |   | c |    |   |  | P | DD | C | B | C | C |
| B | A236 | <a href="#">Dryocopus martius</a>     |  |   | p |    |   |  | P | DD | C | B | C | B |
| B | A376 | <a href="#">Emberiza citrinella</a>   |  |   | r |    |   |  | C | DD | C | B | C | C |
| B | A379 | <a href="#">Emberiza hortulana</a>    |  |   | r |    |   |  | P | DD | C | B | C | B |
| I | 1074 | <a href="#">Eriogaster catax</a>      |  |   | p | -1 |   |  |   | DD | D |   |   |   |
| B | A269 | <a href="#">Erithacus rubecula</a>    |  |   | p |    |   |  | C | DD | C | B | C | B |
| I | 1065 | <a href="#">Euphryas aurinia</a>      |  |   | p | -1 |   |  |   | DD | D |   |   |   |
| B | A359 | <a href="#">Fringilla coelebs</a>     |  |   | p |    |   |  | C | DD | C | B | C | B |
| B | A359 | <a href="#">Fringilla coelebs</a>     |  |   | c |    |   |  | P | DD | C | C | C | C |
| M | 1301 | <a href="#">Galemys pyrenaicus</a>    |  | X | p |    |   |  | P | M  | C | C | C | C |
| B | A076 | <a href="#">Gypaetus barbatus</a>     |  |   | p |    | p |  | P | M  | D |   |   |   |
| B | A078 | <a href="#">Gyps fulvus</a>           |  |   | c |    |   |  | P | DD | D |   |   |   |
| B | A300 | <a href="#">Hippolais polyglotta</a>  |  |   | r |    |   |  | P | DD | C | C | C | C |
| B | A251 | <a href="#">Hirundo rustica</a>       |  |   | c |    |   |  | P | DD | C | C | C | C |
| B | A251 | <a href="#">Hirundo rustica</a>       |  |   | r |    |   |  | P | DD | C | C | C | C |
| B | A338 | <a href="#">Lanius collurio</a>       |  |   | r |    |   |  | P | DD | C | B | C | B |
| I | 1083 | <a href="#">Lucanus cervus</a>        |  |   | p |    |   |  | P | DD | C | C | C | C |
| B | A271 | <a href="#">Luscinia megarhynchos</a> |  |   | r |    |   |  | P | DD | C | C | C | C |
| M | 1355 | <a href="#">Lutra lutra</a>           |  |   | p |    |   |  | P | P  | C | C | C | C |
| B | A073 | <a href="#">Milvus migrans</a>        |  |   | c |    |   |  | P | DD | D |   |   |   |
| B | A074 | <a href="#">Milvus milvus</a>         |  |   | p |    |   |  | P | DD | C | B | C | C |
| B | A280 | <a href="#">Monticola saxatilis</a>   |  |   | r |    |   |  | P | DD | C | C | C | C |
| B | A262 | <a href="#">Motacilla alba</a>        |  |   | c |    |   |  | P | DD | C | C | C | C |
| B | A262 | <a href="#">Motacilla alba</a>        |  |   | p |    |   |  | P | DD | C | C | C | C |
| B | A319 | <a href="#">Muscicapa striata</a>     |  |   | r |    |   |  | P | DD | C | B | C | C |
| B | A077 | <a href="#">Neophron percnopterus</a> |  |   | r |    |   |  | P | DD | C | B | C | C |
| B | A277 | <a href="#">Oenanthe oenanthe</a>     |  |   | r |    |   |  | P | DD | C | C | C | C |

|   |      |  |  |  |   |  |  |  |   |    |   |   |   |   |
|---|------|--|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A277 | <a href="#">Oenanthe oenanthe</a>          |  |  | c |  |  |  | P | DD | C | C | C | C |
| B | A214 | <a href="#">Otus scops</a>                 |  |  | r |  |  |  | P | DD | C | C | C | C |
| B | A415 | <a href="#">Perdix perdix hispaniensis</a> |  |  | p |  |  |  | P | DD | C | B | C | B |
| B | A072 | <a href="#">Pernis apivorus</a>            |  |  | r |  |  |  | P | DD | D |   |   |   |
| B | A273 | <a href="#">Phoenicurus ochruros</a>       |  |  | r |  |  |  | C | DD | C | B | C | B |
| B | A273 | <a href="#">Phoenicurus ochruros</a>       |  |  | c |  |  |  | P | DD | C | C | C | C |
| B | A313 | <a href="#">Phylloscopus bonelli</a>       |  |  | r |  |  |  | P | DD | C | C | C | C |
| B | A315 | <a href="#">Phylloscopus collybita</a>     |  |  | p |  |  |  | C | DD | C | B | C | B |
| B | A315 | <a href="#">Phylloscopus collybita</a>     |  |  | c |  |  |  | P | DD | C | C | C | C |
| B | A267 | <a href="#">Prunella collaris</a>          |  |  | w |  |  |  | P | DD | C | C | C | C |
| B | A266 | <a href="#">Prunella modularis</a>         |  |  | p |  |  |  | P | DD | C | C | C | C |
| B | A250 | <a href="#">Ptyonoprogne rupestris</a>     |  |  | r |  |  |  | C | DD | C | B | C | C |
| B | A346 | <a href="#">Pyrhocorax pyrrhocorax</a>     |  |  | p |  |  |  | P | DD | C | B | C | B |
| B | A318 | <a href="#">Regulus ignicapillus</a>       |  |  | p |  |  |  | C | DD | C | B | C | C |
| B | A317 | <a href="#">Regulus regulus</a>            |  |  | p |  |  |  | P | DD | C | C | C | C |
| I | 1087 | <a href="#">Rosalia alpina</a>             |  |  | p |  |  |  | P | DD | C | C | C | C |
| B | A311 | <a href="#">Sylvia atricapilla</a>         |  |  | c |  |  |  | P | DD | C | C | C | C |
| B | A311 | <a href="#">Sylvia atricapilla</a>         |  |  | r |  |  |  | P | DD | C | B | C | C |
| B | A310 | <a href="#">Sylvia borin</a>               |  |  | r |  |  |  | P | DD | C | B | C | C |
| B | A310 | <a href="#">Sylvia borin</a>               |  |  | c |  |  |  | P | DD | C | C | C | C |
| B | A265 | <a href="#">Troglodytes troglodytes</a>    |  |  | p |  |  |  | C | DD | C | B | C | B |
| B | A285 | <a href="#">Turdus philomelos</a>          |  |  | c |  |  |  | P | DD | C | C | C | C |
| B | A285 | <a href="#">Turdus philomelos</a>          |  |  | p |  |  |  | P | DD | C | C | C | C |
| B | A282 | <a href="#">Turdus torquatus</a>           |  |  | r |  |  |  | P | DD | C | C | C | C |
| B | A287 | <a href="#">Turdus viscivorus</a>          |  |  | p |  |  |  | P | DD | C | B | C | C |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)

- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

| Species |      |   |   | Population in the site |      |     |      | Motivation |               |    |                  |   |   |   |
|---------|------|---|---|------------------------|------|-----|------|------------|---------------|----|------------------|---|---|---|
| Group   | CODE | Scientific Name                               | S | NP                     | Size |     | Unit | Cat.       | Species Annex |    | Other categories |   |   |   |
|         |      |   |   |                        | Min  | Max |      |            | C R V P       | IV | V                | A | B | C |
| B       | A086 | <a href="#">Accipiter nisus</a>               |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| A       | 1191 | <a href="#">Alytes obstetricans</a>           |   |                        |      |     |      | C          | X             |    | X                |   | X | X |
| P       | 1631 | <a href="#">Androsace cylindrica hirtella</a> |   |                        | -1   |     |      |            | X             |    |                  |   |   |   |
| P       | 1762 | <a href="#">Arnica montana</a>                |   |                        | -1   |     |      |            |               | X  |                  |   |   | X |
| A       | 2361 | <a href="#">Bufo bufo</a>                     |   |                        |      |     |      | C          |               |    | X                |   | X | X |
| B       | A087 | <a href="#">Buteo buteo</a>                   |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| M       | 2644 | <a href="#">Capreolus capreolus</a>           |   |                        |      |     |      | C          |               |    |                  |   |   | X |
| B       | A366 | <a href="#">Carduelis cannabina</a>           |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| B       | A364 | <a href="#">Carduelis carduelis</a>           |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| P       |      | <a href="#">Carex macrostyla</a>              |   |                        |      |     |      | P          |               |    |                  | X |   |   |
| B       | A335 | <a href="#">Certhia brachydactyla</a>         |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| B       | A363 | <a href="#">Chloris chloris</a>               |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| B       | A264 | <a href="#">Cinclus cinclus</a>               |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| R       | 1283 | <a href="#">Coronella austriaca</a>           |   |                        |      |     |      | P          | X             |    | X                |   |   |   |
| B       | A350 | <a href="#">Corvus corax</a>                  |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| P       |      | <a href="#">Cystopteris fragilis alpina</a>   |   |                        |      |     |      | P          |               |    |                  | X |   |   |
| B       | A237 | <a href="#">Dendrocopos major</a>             |   |                        |      |     |      | P          |               |    |                  |   | X | X |
| P       | 1413 | <a href="#">Diphasiastrum alpinum</a>         |   |                        | -1   |     |      |            |               | X  |                  |   | X | X |
| B       | A377 | <a href="#">Emberiza cirius</a>               |   |                        |      |     |      | P          |               |    |                  |   | X | X |

|   |      |   |  |  |    |  |  |   |   |   |   |   |   |   |
|---|------|---|--|--|----|--|--|---|---|---|---|---|---|---|
| A | 1173 | <a href="#">Euproctus asper</a>               |  |  |    |  |  | P | X |   | X |   | X |   |
| B | A096 | <a href="#">Falco tinnunculus</a>             |  |  |    |  |  | P |   |   |   |   | X | X |
| P | 1657 | <a href="#">Gentiana lutea</a>                |  |  | -1 |  |  |   |   | X |   | X |   | X |
| P | 1413 | <a href="#">Huperzia selago</a>               |  |  | -1 |  |  |   |   | X |   |   |   | X |
| P |      | <a href="#">Ilex aquifolium</a>               |  |  |    |  |  | P |   |   |   |   |   | X |
| A | 5916 | <a href="#">Lissotriton helveticus</a>        |  |  |    |  |  | P |   |   | X |   | X | X |
| B | A369 | <a href="#">Loxia curvirostra</a>             |  |  |    |  |  | P |   |   |   |   | X | X |
| P | 1413 | <a href="#">Lycopodium clavatum</a>           |  |  | -1 |  |  |   |   | X |   |   |   | X |
| B | A261 | <a href="#">Motacilla cinerea</a>             |  |  |    |  |  | P |   |   |   |   | X | X |
| P |      | <a href="#">Narcissus abscissus</a>           |  |  |    |  |  | P |   |   |   | X |   |   |
| B | A328 | <a href="#">Parus ater</a>                    |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A329 | <a href="#">Parus caeruleus</a>               |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A327 | <a href="#">Parus cristatus</a>               |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A330 | <a href="#">Parus major</a>                   |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A357 | <a href="#">Petronia petronia</a>             |  |  |    |  |  | P |   |   |   |   | X | X |
| I | 6265 | <a href="#">Phengaris arion</a>               |  |  |    |  |  | P | X |   |   |   | X | X |
| B | A235 | <a href="#">Picus viridis</a>                 |  |  |    |  |  | P |   |   |   |   | X | X |
| P |      | <a href="#">Pinus uncinata</a>                |  |  |    |  |  | P |   |   |   |   |   | X |
| B | A345 | <a href="#">Pyrrhocorax graculus</a>          |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A372 | <a href="#">Pyrrhula pyrrhula</a>             |  |  |    |  |  | P |   |   |   |   | X | X |
| M | 1369 | <a href="#">Rupicapra rupicapra pyrenaica</a> |  |  |    |  |  | C |   |   |   |   |   | X |
| A | 2351 | <a href="#">Salamandra salamandra</a>         |  |  | -1 |  |  |   |   |   | X |   | X |   |
| F | 6262 | <a href="#">Salmo trutta trutta</a>           |  |  |    |  |  | C |   |   |   |   |   | X |
| B | A362 | <a href="#">Serinus citrinella</a>            |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A362 | <a href="#">Serinus citrinella</a>            |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A361 | <a href="#">Serinus serinus</a>               |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A332 | <a href="#">Sitta europaea</a>                |  |  |    |  |  | P |   |   |   |   | X | X |
| B | A219 | <a href="#">Strix aluco</a>                   |  |  |    |  |  | P |   |   |   |   | X | X |

|   |      |                                |  |  |   |   |          |  |   |  |  |   |   |  |  |  |   |
|---|------|--------------------------------|--|--|---|---|----------|--|---|--|--|---|---|--|--|--|---|
| M | 5861 | <a href="#">Sus scrofa</a>     |  |  |   |   |          |  | C |  |  |   |   |  |  |  | X |
| P |      | <a href="#">Taxus baccata</a>  |  |  |   |   |          |  | P |  |  |   |   |  |  |  | X |
| P |      | <a href="#">Vicia argentea</a> |  |  | 2 | 2 | grids1x1 |  |   |  |  | X | X |  |  |  |   |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

| Habitat class              | % Cover |
|----------------------------|---------|
| N16                        | 14.0    |
| N08                        | 19.0    |
| N06                        | 1.0     |
| N22                        | 12.0    |
| N14                        |         |
| N23                        |         |
| N17                        | 14.0    |
| N11                        | 40.0    |
| <b>Total Habitat Cover</b> | NaN     |

### Other Site Characteristics

Este espacio se ubica en el Valle de Tena, dentro de la unidad morfoestructural que constituye el Pirineo Axial. Los afloramientos paleozoicos metamórficos y sedimentarios están fuertemente fracturados y modelados por la actividad glaciaria cuaternaria. Las laderas están sometidas a fuertes procesos solifluidales favorecidos por la plasticidad de los materiales edáficos. Domina el pastizal subalpino en las zonas más altas bajo las acumulaciones de derrubios provenientes de las zonas de cumbres. Conforme se desciende en altura, aparecen bosques mixtos caducifolios, dominados por Quercus gr. cerrioides y combinados con prados de siega. Puntualmente encontramos alguna masa de abetar y en el fondo del valle bosques abiertos de abedul. La actividad agropecuaria, centrada en la explotación de los pastos de diente, y la actividad turística son los principales aprovechamientos del espacio.

### 4.2 Quality and importance

Espacio en donde se manifiesta una interesante cliserie altitudinal, destacando la superficie de pastizales alpinos y subalpinos y los bosques mixtos y de coníferas.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts |             |           |                |
|------------------|-------------|-----------|----------------|
|                  | Threats and | Pollution | inside/outside |

| Positive Impacts |                        |                      |                |
|------------------|------------------------|----------------------|----------------|
| Rank             | Activities, management | Pollution (optional) | inside/outside |



| Rank | pressures<br>[code] | (optional)<br>[code] | [i o b] |
|------|---------------------|----------------------|---------|
| L    | G01.02              |                      | i       |
| H    | H06.01              |                      | i       |
| H    | K01.03              |                      | i       |
| L    | G01.03              |                      | i       |
| M    | K04.05              |                      | i       |
| H    | J02.05              |                      | i       |
| H    | A04.03              |                      | i       |
| L    | D04.02              |                      | o       |
| L    | F02.03              |                      | i       |
| L    | B                   |                      | i       |
| H    | D01.02              |                      | i       |
| L    | J01                 |                      | i       |
| L    | D01.01              |                      | i       |
| M    | F03.01              |                      | i       |
| H    | G02.04              |                      | i       |
| L    | G01.04              |                      | i       |
| H    | G05.04              |                      | i       |
| L    | G01.05              |                      | i       |
| L    | D02.01              |                      | b       |
| H    | J02                 |                      | i       |
| M    | H06.01              |                      | o       |
| L    | D02.02              |                      | i       |

|   | [code] | [code] | [i o b] |
|---|--------|--------|---------|
| H | A03    |        | i       |
| H | A04    |        | i       |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

| Type                  | [%]              |      |
|-----------------------|------------------|------|
| Public                | National/Federal | 0    |
|                       | State/Province   | 0    |
|                       | Local/Municipal  | 0    |
|                       | Any Public       | 98.8 |
| Joint or Co-Ownership | 0                |      |
| Private               | 0                |      |
| Unknown               | 0                |      |
| sum                   | 98.8             |      |

#### 4.5 Documentation

CANCER POMAR, L. (1981): "Ecogeografía de los paisajes del Alto Gállego", Pub. del Consejo de Protección de la Naturaleza nº1. Zaragoza. LAMPRE VITALLER, F. 1994: Impacto paisajístico de embalses y obras hidroeléctricas en ibones de alta montaña del Pirineo aragonés. Federación Aragonesa de Montaña. MOPU 1988: La nieve en el Pirineo español: estudio de los recursos hídricos procedentes de la fusión nival en la alta montaña (Programa ERHIN).

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| ES00 | 100.0     |      |           |      |           |

---

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

|               |   |
|---------------|---|
| Organisation: | Dirección General de Conservación del Medio Natural Departamento de Agricultura, Ganadería y Medio Ambiente Gobierno de Aragón Departamento de Medio Ambiente. Diputación General de Aragón |
| Address:      | Plaza San Pedro Nolasco, 7 50001 ZARAGOZA   |
| Email:        | comena@aragon.es  |

### 6.2 Management Plan(s):

An actual management plan does exist:

|                                     |                        |
|-------------------------------------|------------------------|
| <input type="checkbox"/>            | Yes                    |
| <input checked="" type="checkbox"/> | No, but in preparation |
| <input type="checkbox"/>            | No                     |